

**Coopertive Promotion Department - 1748249.3**

**General**

Solution Created 10/20/2021 (CST) by nattapong setteekullaphat  
 Version Last Modified 10/20/2021 (CST) by nattapong setteekullaphat

**Components**

Dell(TM) Category: Server Quantity: 1  
 PowerEdge(TM)  
 R540 Rack Mount  
 Server -  
 [ASPER540\_VI\_VP]  
 Group Name: Group 1  
 Group ID: 1748249.3.1

Product Name	Qty	Option ID	SKUs
<b>Base</b> PowerEdge R540 Server	1	R540	[210-ALZH]
<b>Motherboard</b> PowerEdge R540 MLK Motherboard, V2	1	GGIMN7H	[329-BFBK]
<b>Trusted Platform Module (TPM)</b> No Trusted Platform Module	1	NTPM	[461-AADZ]
<b>Chassis Configuration</b> 3.5" Chassis with up to 8 Hot Plug Hard Drives, PERC/HBA11	1	G0169BV	[321-BHDO] [405-AAOM]
<b>Processor</b> Intel Xeon Silver 4214 2.2G, 12C/24T, 9.6GT/s, 16.5M Cache, Turbo, HT (85W) DDR4-2400	1	G5V29WO	[338-BSDL]
<b>Additional Processor</b> Intel® Xeon® Silver 4214 2.2G, 12C/24T, 9.6GT/s, 16.5M Cache, Turbo, HT (85W) DDR4-2400	1	G2ALB8Z	[338-BSDL][379-BDCO]
<b>Processor Thermal Configuration</b> Thermal for non 1x FH Riser	1	T1XFHRS	[340-ADBJ]
<b>Memory DIMM Type and Speed</b> 3200MT/s RDIMMs	1	GR3CFNV	[370-AEVR]
<b>Memory Configuration Type</b> Performance Optimized	1	PEOPT	[370-AAIP]
<b>Memory Capacity</b> 16GB RDIMM, 3200MT/s, Dual Rank	2	GQ3BS0I	[370-AEVQ]
<b>RAID Configuration</b> C7, Unconfigured RAID for HDDs or SSDs (Mixed Drive Types Allowed)	1	5098876	[780-BCDS]
<b>RAID/Internal Storage Controllers</b> PERC H750 Adapter, Low Profile	1	GHDWC3K	[405-ABCC]
<b>Hard Drives</b> 600GB 10K RPM SAS 12Gbps 512n 2.5in Hot-plug Hard Drive, 3.5in HYB CARR	4	5103819	[400-ASGT]
<b>Embedded Systems Management</b> iDRAC9 Enterprise with OpenManage Enterprise Advanced	1	5100750	[385-BBKT][528-BIYY]
<b>PCIe Riser</b>			

1xFH, 4xLP, 2CPU	1	5104026	[330-BBHQ]
<b>Additional Network Cards</b>			
Dual-Port 1GbE On-Board LOM	1	G3XLP AH	[542-BBCR]
<b>Power Supply</b>			
Dual, Hot Plug, Redundant Power Supply (1+1), 750W	1	G2I6N XF	[450-AJRO]
<b>Power Cords</b>			
Jumper Cord - C13/C14, 2M, 250V, 10A (EU, TW, APCC countries except ANZ)	2	J34M2M	[450-AFCW]
Power Cord - C13, 2M, 250V, 10A (Thailand)	2	D13M2T	[450-AALZ]
<b>Bezel</b>			
PowerEdge 2U LCD Bezel (Dell EMC)	1	5103716	[325-BCHV] [350-BBLI]
<b>Quick Sync 2 (At-the-box mgmt)</b>			
Quick Sync 2 (At-the-box mgmt)	1	5105237	[350-BBKV]
<b>Group Manager</b>			
iDRAC Group Manager, Enabled	1	5100925	[379-BCQV]
<b>Password</b>			
iDRAC, Factory Generated Password	1	5101343	[379-BCSF]
<b>Power Management BIOS Settings</b>			
Performance BIOS Setting	1	HPBIOS	[384-BBBL]
<b>Advanced System Configurations</b>			
UEFI BIOS Boot Mode with GPT Partition	1	UEFIB	[800-BBDM]
<b>Operating System</b>			
No Operating System	1	NOFIOS	[611-BBBF]
<b>Dell Services: Hardware Support</b>			
Basic Next Business Day 36 Months, 36 Month(s)	1	GCDZ243	[709-BBHC]
<b>Dell Services: Extended Service</b>			
ProSupport and 4Hr Mission Critical, 36 Month(s)	1	GO27IM3	[865-BBNB]
<b>Dell Services: Deployment Services</b>			
No Installation Service Required	1	X-IR1	[683-12965]
<b>Rack Rails</b>			
ReadyRails™ Sliding Rails With Cable Management Arm	1	RRCMA	[770-BBBR]
<b>Internal Optical Drive</b>			
DVD ROM, SATA, Internal	1	5106232	[429-ABCM]
<b>Shipping</b>			
PowerEdge R540 Shipping - APCC/Taiwan V2	1	GEP3WLG	[340-CPGO]
<b>Shipping Material</b>			
PowerEdge R540 Shipping Material (Dell EMC)	1	5105232	[343-BBFN]
<b>Regulatory</b>			
PowerEdge R540 No CE Marking, APCC/Taiwan	1	G6SYIOX	[389-DTWU]
<b>System Documentation</b>			
No Systems Documentation, No OpenManage DVD Kit	1	NODOCS	[631-AACK]
<b>For Info Only</b>			
Mod Specs Info (Thailand)	1	SPECTH	[799-AAES]

<b>Freight</b>			
PowerEdge-SE01 Handling & Insurance Charges(Thailand)	1	FRGTTH	[990-15956]
<hr/>			
<b>Dell Services:GCP/OEM PM</b>			
Partner Operations Support B2B	1	G1QPWOS	[683-21875]
<hr/>			